

**The 2nd Ann Mtg (1999) –  
The 2<sup>nd</sup> National Meeting of the Study Group on Seizures  
in Infancy and Early Childhood**

**Date**                    **April 29 (Thu), 1999**  
**Venue**                   **Clinical Conference Hall I**  
                                 **Tokyo Women's Medical College**  
                                 **8-1 Kawada-cho, Shinjuku-ku,**  
                                 **Tokyo 162-8666, Japan**

09:30	<p><b>Opening Address</b></p> <p><u>Yukio FUKUYAMA</u></p>
09:35-10:20	<p><b>【West Syndrome – Esp. Therapy】</b></p> <p style="text-align: right;"><b>Chairperson: Hisao MIURA</b></p>
<b>1</b>	<p><b>A Case of Tuberos Sclerosis Revealing Multiple Cardiac Tumors in Utero and Presenting West Syndrome Postnatally</b></p> <p><u>Fumihiko KATAYAMA</u>, Hisao MIURA, Hiroyuki SHIRAI, Wataru SUNAOSHI, Nozomi HOSODA, Kaoru SHIMANUKI, Kenji TAKEI, Toshiyuki IWASAKI, Kouki OGUCHI, Satoshi HIRAISHI</p> <p>Department of Pediatrics, Kitasato University School of Medicine, Sagami-hara, Kanagawa, Japan</p>
<b>2</b>	<p><b>Subdural Hematoma due to Low-Dose ACTH Therapy in Two Patients with West Syndrome</b></p> <p><u>Masatoshi ITO</u>, Tatsuya FUJII, Tomoko MIYAJIMA, Hidefumi HIRAMATSU, Machiko SAWADA, Toshiyuki KITO, Takehiko OKUNO</p> <p>Department of Pediatrics, Shiga Medical Center for Children, Moriyama, Shiga, Japan</p>

<p><b>3</b></p>	<p><b>Gamma-Globulin and ACTH-Z Combination Therapy for West Syndrome</b></p> <p><u>Yukihiko FUJITA</u>, Chikako HORIKIRI, Hiroyuki YAMAMORI, Ryutaro KOHIRA, Tatsuo FUCHIGAMI, Osami OKUBO, Kensuke HARADA</p> <p>Department of Pediatrics, Nihon University School of Medicine, Tokyo, Japan</p>
<p>10:20-11:05</p> <p><b>【West Syndrome, etc.】</b></p> <p style="text-align: center;">Chairperson: Masatoshi ITO</p>	
<p><b>4</b></p>	<p><b>Dexamethasone Palmitate (Liposteroid) Therapy for West Syndrome</b></p> <p><u>Hitoshi YAMAMOTO</u>, Hiroshi MURAKAMI, Masako ASOH, Noriko KAMIYAMA</p> <p>Department of Pediatrics, St. Marianna University School of Medicine, Kawasaki, Kanagawa, Japan</p>
<p><b>5</b></p>	<p><b>Topic: Place of Vigabatrin in the Treatment of the West Syndrome – A Literature Review</b></p> <p><u>Yukio FUKUYAMA</u>,</p> <p>Child Neurology Institute, Tokyo, Japan</p>
<p><b>6</b></p>	<p><b>Can Early Zonisamide Medication Improve the Prognosis in the Core and Peripheral Types of SMEI?</b></p> <p><u>Osamu KANAZAWA</u>, Seiko SHIRANE</p> <p>Department of Pediatrics, Epilepsy Center, Nishi-Niigata Central National Hospital, Niigata, Japan</p>
<p>11:10-12:00</p> <p><b>Special Lecture - 1</b></p> <p style="text-align: center;">Chairperson : Shunsuke OHTAHARA</p> <p><b>【Status Epilepticus in Children】</b></p> <p><u>Shlomo Shinnar, MD, PhD</u></p> <p>Professor of Neurology and Pediatrics, Albert Einstein College of Medicine; Director, Epilepsy Management Center, Montefiore Medical Center, New York, NY, USA</p>	
<p>12:00-13:00</p>	<p><b>LUNCH TIME</b></p>

13:00-13:20	<b>BUSINESS MEETING</b>  <b>Chairperson: Chikaya OTSUKA</b>
13:20-14:05	<b>【Various Seizures】</b>  <b>Chairperson: Toru KUROKAWA</b>
<b>7</b>	<b>An Infantile Case with Myoclonic Epilepsy Induced by Eye Closure</b>  <b><u>Shinichi YAGI</u>, Tohru KONISHI, Junko MATSUZAKA, Kazuhisa HONGOU, Miwa YAMATANI, Toshio MIYAWAKI</b>  <b>Department of Pediatrics, Toyama Medical and Pharmaceutical University, Toyama, Japan</b>
<b>8</b>	<b>Argininosuccinic Aciduria Complicated with Intractable Seizures</b>  <b><u>Tomoyuki NAKAZAWA</u>, Hiroshi TAKAHASHI, Kenichiro KANEKO</b>  <b>Department of Pediatrics, Juntendo University Urayasu Hospital, Urayasu, Chiba, Japan</b>
<b>9</b>	<b>Study on the Early-Onset Benign Occipal Seizure Susceptibility Syndrome</b>  <b><u>Hirokazu OGUNI</u>, Kitami HAYASHI, Kaoru IMAI, Yukiko HIRANO, Ayako MUTOH, Makiko OSAWA</b>  <b>Department of Pediatrics, Tokyo Women's Medical University, Tokyo, Japan</b>
14:05-14:35	<b>【Seizures When Feverish】</b>  <b>Chairperson : Makiko OSAWA</b>
<b>10</b>	<b>A case of Influenza Encephalopathy with Influenza Virus A (H3N2) Isolation from CSF</b>  <b><u>Michiko MURAKAMI</u>, Yasuo MINAMIURA, Tomochika KATO</b>  <b>Department of Pediatrics, PL Hospital, Tondabayashi, Osaka, Japan</b>

<p><b>11</b></p>	<p><b>Co-segregation of Benign Infantile Convulsions with Paroxysmal Kinesigenic Choreoathetosis in Two Families</b></p> <p><u>Tsunenori HIRAYAMA</u>, Kohichi OGAWA, Yasuhiko KAWAKAMI, Mariko FUJIMATSU, Hideki KOMATSUZAKI, Yasuko TAKAISHI, Takehisa FUJITA, Osamu FUJINO, Kiyoshi HASHIMOTO</p> <p>Department of Pediatrics, Nippon Medical School, Second Hospital, Kawasaki, Kanagawa, Japan</p>
<p>13:20-14:05</p> <p><b>【Papers by Invitation】</b></p> <p style="text-align: right;">Chairperson : Toshiaki ABE</p>	
<p><b>12</b></p>	<p><b>Afebrile Seizure with Mild Diarrhea in Infancy and Early Childhood</b></p> <p><u>Kun-Long HUNG</u>, Chien-Ming LIAO</p> <p>Department of Pediatrics, Cathay General Hospital, Taipei, Taiwan, Japan</p>
<p><b>13</b></p>	<p><b>Febrile Convulsions in Taiwan</b></p> <p><u>Chao-Ching HUANG</u>①, Ying-Chao CHANG②</p> <p>①Department of Pediatrics, National Cheng Kung University Medical Center, Tainan, Taiwan  ②Department of Pediatrics, Kaohsiung Chang Gung Children Hospital, Kaohsiung, Taiwan</p>
<p>15:10-15:35</p> <p><b>INTERMISSION</b></p>	
<p>15:35-16:25</p> <p><b>Special Lecture-2</b></p> <p style="text-align: right;">Chairperson : Kazuyoshi WATANABE</p> <p style="text-align: center;"><u>Shlomo Shinnar, MD, PhD</u></p> <p>Professor of Neurology and Pediatrics, Albert Einstein College of Medicine;  Director, Epilepsy Management Center, Montefiore Medical Center, New York, NY, USA</p>	
<p>16:25-17:25</p> <p><b>【Febrile Seizures】</b></p> <p style="text-align: right;">Chairperson : Akihisa MITSUDOME</p>	

<p><b>14</b></p>	<p><b>Recognition of 15 Families with Generalized Epilepsy with Febrile Seizures Plus</b></p> <p><u>Junko MATSUZAWA</u>, Tohru KONISHI, Kazuhisa HONGOU, Miwa YAMATANI, Shinichi YAGI, Toshio MIYAWAKI</p> <p>Department of Pediatrics, Toyama Medical and Pharmaceutical University, Toyama, Japan</p>
<p><b>15</b></p>	<p><b>Comparison of Tympanic to Axillar Temperatures in Cases with Febrile Seizure</b></p> <p><u>Keita HATA</u><sup>①</sup>, Takuya TANABE<sup>①</sup>, Shuichi SHIMAKAWA<sup>②</sup>, Kohji AZUMAGAWA<sup>②</sup>, Shuhei SUZUKI<sup>②</sup>, Eiji WAKAMIYA<sup>②</sup>, Hiroshi TAMAI<sup>②</sup></p> <p>①Division of Pediatrics, Hirakata City Hospital, Hirakata, Osaka, Japan ②Department of Pediatrics, Osaka Medical College, Osaka, Japan</p>
<p><b>16</b></p>	<p><b>EEG in Febrile Convulsions</b></p> <p><u>Sadao ICHIJOH</u><sup>①</sup>, Hajime ISHII<sup>②</sup>, Keiko TAMAOKI<sup>③</sup>, Ryou CHIBA<sup>③</sup></p> <p>①Department of Health and Welfare Science, Faculty of Physical Education, Sendai College, Sendai, Miyagi, Japan ②Department of Neurology and Psychiatry, JR Sendai Hospital, Sendai, Miyagi, Japan ③Department of Pediatrics, Japanese Red Cross Sendai Hospital, Sendai, Miyagi, Japan</p>
<p><b>17</b></p>	<p><b>An Electrophysiological Study in Infants with Febrile Seizures</b></p> <p><u>Masaharu OHFU</u><sup>①</sup>, Mayumi MASUZAKI<sup>①</sup>, Akihisa MITSUDOME<sup>②</sup></p> <p>①Department of Pediatrics, Chikushi Hospital, Fukuoka University, Fukuoka, Japan ②Department of Pediatrics, School of Medicine, Fukuoka University, Fukuoka, Japan</p>
<p>17:25</p>	<p><b>Closing Remarks</b></p> <p><u>Shunsuke OHTAHARA</u></p>
<p>17:30-18:30</p>	<p><b>Social Party</b></p>